



June 13, 2005

DN-6726 • H-240

NBG-12LX Addressable Manual Pull Station with FlashScan®

Section: Intelligent/Addressable Devices

GENERAL

The NOTIFIER NBG-12LX is a state-of-the-art, dual-action (i.e., requires two motions to activate the station) pull station that includes an addressable interface for any NOTIFIER intelligent control panel. Because the NBG-12LX is addressable, the control panel can display the exact location of the activated manual station. This leads fire personnel quickly to the location of the alarm.

FEATURES

- Maintenance personnel can open station without causing an alarm condition.
- Built-in bicolor LED, which is visible through the handle of the station, flashes in normal operation and latches steady red when in alarm.
- Handle latches in down position and the word "ACTIVATED" appears to clearly indicate the station has been operated.
- Captive screw terminals wire-ready for easy connection to SLC loop (accepts up to 12 AWG/3.1 mm² wire).
- Semi-flush, mounts to a standard single-gang (2.125" [5.3975 cm] minimum depth), double-gang, or 4" (10.16 cm) square electrical box.
- Smooth dual-action design.
- Within ADA 5 lb. pull force.
- Highly visible.
- Attractive shape and textured finish.
- Key reset.
- Includes Braille text on station handle.
- Optional trim ring (BG-TR).
- Meets UL 38, Standard for Manually Actuated Signaling Boxes.
- Up to 99 NBG-12LX stations per loop on classic protocol systems.
- Up to 159 NBG-12LX stations per loop on FlashScan® protocol systems.
- Dual-color LED blinks green to indicate normal on FlashScan® systems.

CONSTRUCTION

Shell, door, and handle are molded of durable LEXAN® (or polycarbonate equivalent) with a textured finish.

OPERATION

Pushing in, then pulling down on the handle causes it to latch in the down/activated position. Once latched, the word "ACTIVATED" (in bright yellow) appears at the top of the handle, while a portion of the handle protrudes from

FlashScan® and NOTIFIER® are registered trademarks of Honeywell International INC. LEXAN® is a registered trademark of GE Plastics, a subsidiary of General Electric Company.

Patented, U.S. Patent No. D428,351; 6,380,846
U.S. Patent Pending: 09/686,286



California State Fire Marshal
7150-0028:199

MEA
67-02-E

U.S. Coast Guard
161.002/23/3
(AFP-200)



BSMI

CI313066760047

93/60141 (E3)
02/6007



**The NBG-12LX
Addressable Manual Pull Station**

the bottom of the station. To reset the station, simply unlock the station with the key and pull the door open. This action resets the handle; closing the door automatically resets the switch.

Each manual station, on command from the control panel, sends data to the panel representing the state of the manual switch. Two rotary decimal switches allow address settings (1 – 159 on FlashScan® systems, 1 – 99 on CLIP systems).

This document is not intended to be used for installation purposes. We try to keep our product information up-to-date and accurate. We cannot cover all specific applications or anticipate all requirements. All specifications are subject to change without notice. For more information, contact NOTIFIER. Phone: (203) 484-7161 FAX: (203) 484-7118



12 Clintonville Road, Northford, Connecticut 06472




PRODUCT LINE INFORMATION

- NBG-12LX** Dual-action addressable pull station.
Includes key locking feature.
- SB-10** Surface backbox.
- SB-I/O** Indoor/outdoor surface backbox.
- BG-TR** Optional trim ring.

INSTALLATION

The NBG-12LX will mount semi-flush into a single-gang, double-gang, or standard 4" (10.16 cm) square electrical outlet box, or will surface mount to the model SB-10 or SB-I/O surface backbox. If the NBG-12LX is being semi-flush mounted, then the optional trim ring (BG-TR) may be used. The BG-TR is usually needed for semi-flush mounting with 4" (10.16 cm) or double-gang boxes (not with single-gang boxes).



Back of station without door.

Terminal Connections

- 1 SLC (-)
- 2 SLC (+)

ELECTRICAL SPECIFICATIONS


- Normal operating voltage: 24 VDC.
Maximum SLC loop voltage: 28.0 VDC.
Maximum SLC loop current: 375 μ A.

ARCHITECTURAL/ ENGINEERING SPECIFICATIONS


Manual Fire Alarm Stations shall be non-coded, with a key-operated reset lock in order that they may be tested, and so designed that after actual Emergency Operation, they cannot be restored to normal except by use of a key. An operated station shall automatically condition itself so as to be visually detected as activated. Manual stations shall be constructed of red-colored LEXAN® (or polycarbonate equivalent) with clearly visible operating instructions provided on the cover. The word **FIRE** shall appear on the front of the stations in white letters, 1.00 inches (2.54 cm) or larger. Stations shall be suitable for surface mounting on matching backbox SB-10; or semi-flush mounting on a standard single-gang, double-gang, or 4" (10.16 cm) square electrical box, and shall be installed within the limits defined by the Americans with Disabilities Act (ADA) or per national/local requirements. Manual Stations shall be Underwriters Laboratories listed.

Manual stations shall connect with two wires to one of the control panel SLC loops. The manual station shall, on command from the control panel, send data to the panel representing the state of the manual switch. Manual stations shall provide address setting by use of rotary decimal switches.

The loop poll LED shall be clearly visible through the front of the station. The LED shall flash while in the normal condition, and stay steadily illuminated when in alarm.




Detail of BREAKAWAY TAB*



ROTARY DECIMAL SWITCHES

*Remove tab to select addresses above 99 (FlashScan® systems only).



Cover open to show easy access to miniature monitor module, rotary switch, and UL label.